

Calcioaminovit
Reg. Key S.A.G.A.R.P.A. Q-0524-052*
FOR VETERINARY USE
Calcium Gluconate – Amino acids- Vitamins
Vitaminated restorative injectable calcification solution

DRUG DESCRIPTION

Every 250 mL contain

Calcium Gluconate •H ₂ O	60 g
Sodium Hypophosphite • H ₂ O	2.5 g
Magnesium Chloride • 6H ₂ O	5 g
Anhydrous Dextrose	20 g
L-Lysine Chlorhydrate	25 mg
Vitamin B1	50 mg
Vitamin B2	20 mg
Vitamin B3	250 mg
Vitamin B5	20 mg
Vitamin B6	50 mg
Excipient c.b.p.	250 ml

Calcioaminovit® is a restorative that supplies minerals of high nutritional importance for the organism such as: calcium, phosphorus, magnesium and sodium plus it contains an essential amino acid: lysine, complex B vitamins and dextrose as energy intake. It's recommended for the treatment of hypocalcaemia, rickets, osteomalacia and malnutrition; provides calcium to animals during the gestational period and lactation, hypocalcemic tetany, hemorrhages and bone post surgery therapy in Dairy Cattle, sheep, goats, horses, swine and dogs.

Ideal for treating calcium deficiency. Its phosphorus, magnesium and sodium enriched formula stimulates metabolism and improves calcium absorption. It supplies minerals of high nutritional importance for the animal organism such as lysine, essential for the formation of organic tissue and growth.

Calcioaminovit® stimulates carbohydrates and fats metabolism, it also impacts on the production of red cells and protects the liver due to its complex B vitamins.

DRUG USE

Vitaminated restorative injectable calcification solution recommended for for the treatment of hypocalcaemia, rickets, osteomalacia and malnutrition; provides calcium to animals during the gestational period and lactation, hypocalcemic tetany, hemorrhages and bone post surgery therapy in Dairy Cattle, sheep, goats, horses, swine and dogs.

DOSAGE

Dairy Cattle and Horses: 250 to 500 mL

Colts and Calves: 100 to 150 mL

Swine, Sheep and Goats: 50 to 100 mL

Dogs: 5 to 10 mL

Frequency: According to prescription and depending on the species and ailment.

ROUTE OF ADMINISTRATION

Slow intravenous, subcutaneous or deep intramuscular applied through different spots.

DRUG WARNINGS

Fast administration of this product may cause gravidimetric shock by heart auricular fibrillation; therefore it must be administered slowly. Calcium and magnesium salts may be toxic for animals with toxemia and acute heart blockage. There may also be complications when administered too fast in cases of inappropriate long-lasting treatment. Abrupt death may occur if the animal is excited or fearful. When animals are exposed to a humid and hot atmosphere it might add a risk factor for heat stroke, if that's the case it's important to decrease the temperature of the animal below 39.5°C before administering the solution. In case of shock, the use of ephedrine is advised.

Do not mix with sulfa drugs

Empty containers and any residue must be disposed of by burying or incinerating.

Keep this product in a cool and dry place protected from light at a temperature between 15° and 30 °C

Keep out of reach of children and pets.

Consult a veterinarian

Prescription Only Medicine – Veterinarian (POM-V category)

PRESENTATION

250 and 500 mL vial

REGISTRATION KEYS

Costa Rica MAG MX7-99-10-1023

El Salvador VE2013094808

Honduras PF-829

Nicaragua 2371

Panama RF-344-98

Dominican Rep. 1565-93

MADE IN MEXICO BY: RIVERFARMA, S.A. DE C.V. Prol. Calz. de La Viga No. 1949, Col. Prado Churubusco, Del. Coyoacán. C.P.04230, México, D.F. E-mail: riverfarma@riverfarma.com.mx Web: www.riverfarma.com.mx Tel. 6389-6687, 6389-6688, 6389-6689. Within Mexico Toll Free: 01-800-505-7777