

Polivit B12 + ADE®  
Reg. Key S.A.G.A.R.P.A. Q-0524-071\*  
FOR VETERINARY USE  
Multivitaminated B complex + ADE  
Injectable Solution

Vitamin complex hydro miscible, injectable solution

**DRUG DESCRIPTION**

Each mL contains

Vitamina A	10,000 IU
Vitamina D	1,000 IU
Vitamina E	1IU
Vitamina B1	100 mg
Vitamina B2	2mg
Vitamina B3	100 mg
Vitamina B5	5mg
Vitamina B6	5mg
Vitamina B12	200 mcg
Vitamina H	50 mcg
Excipient c.b.p.	1 mL

Polivit® B12 + ADE is a vitamin injectable solution restorative that provides Liposoluble vitamins A, D, E and hydrosoluble complex B vitamins that animals need.

Polivit® B12 + ADE is recommended for preventing and treating avitaminosis, infertility, metabolic disorders, abortion, pre-natal death, stress and castration in Dairy Cattle, sheep, goats, swine, horses, dogs, cats and barnyard fowl.

Polivit® B12 + ADE improves alimentary conversion of livestock, it also stimulates weight gain in young animals as nutritional supplement stimulating growth and development.

Polivit® B12 + ADE has a hydro miscible formula that allows a fast absorption and availability from the spot where it was applied. It doesn't cause necrosis or abscesses on the spot where it was applied.

Polivit® B12 + ADE improves fertility, prevents dystocias and metabolic disorders such as: hypocalcaemia and rickets.

Polivit® B12 + ADE improves the response to vaccination and de-worming, it is an aid for infectious processes.

Polivit® B12 + ADE Stimulates regeneration of damaged mucous, prevents muscular dystrophy and night blindness in calves.

Polivit® B12 + ADE decreases stress and convalescence periods.

## **DRUG USE**

Polivit B12 + ADE is recommended for preventing and treating vitamin deficiencies in Dairy Cattle, horses, swine, sheep, goats, dogs, cats and barnyard fowl.

## **DOSAGE**

Dairy Cattle and horses	5 to 10 mL
Swine	5 to 8 mL
Piglets	1 to 3 mL
Sheep and goats	3 to 5 mL
Cats and Dogs	1 to 3 mL
Barnyard Fowl	0.25 to 1 mL

Frequency: one shot every 3 days. 3 shot total.

For fighting fowl one shot every week during training and molting.

## **ROUTE OF ADMINISTRATION**

Deep Intramuscular. In a few cases in small species and fowl the dose can be orally administered through drinking water.

## **DRUG WARNINGS**

Keep this product in a cool and dry place protected from light at a temperature between 15° and 30 °C

Keep out of reach of children and pets.

## **WITHDRAWAL PERIOD**

Milk withdrawal: 0 days

Meat withdrawal: 30 days

## **PRESENTATION**

Box with 25 vials, 10 mL each.

50, 100, 250 or 500 mL vials

## **REGISTRATION KEYS**

Costa Rica	MAG MX7-66-01-1022
Cuba	633
El Salvador	VET. 2003-06-2809
Guatemala	PF-830
Honduras	2376
Panama	RF-363-98
Dominican Rep.	2259-95

MADE IN MEXICO BY: RIVERFARMA, S.A. DE C.V. Prol. Calz. de La Viga No. 1949, Col. Prado Churubusco, Del. Coyoacán. C.P.04230, México, D.F. E-mail: [riverfarma@riverfarma.com.mx](mailto:riverfarma@riverfarma.com.mx) Web: [www.riverfarma.com.mx](http://www.riverfarma.com.mx) Tel. 6389-6687, 6389-6688, 6389-6689. Within Mexico Toll Free: 01-800-505-7777