

Endovet® NF
Reg. Key SAGARPA Q-0524-104*
FOR VETERINARY USE
Ivermectin - Triclabendazole
Injectable Solution

Endectocide antiparasitic effective against Fasciola spp, nematodes and ectoparasites

DRUG DESCRIPTION

Every 100 mL contain

Ivermectin	0.4 g
Triclabendazole	24g
Excipient c.b.p.	100 mL

Endovet® NF Is a broad spectrum anthelmintic antiparasitic effective against ectoparasites. Its active component ivermectin belongs to the avermectins group.

Endovet® NF is recommended for treating parasitosis caused by nematodes, Fasciola spp and ectoparasites such as scabies spreading acai, hematophagous lice and house fly larvae in Dairy Cattle, sheep and goats.

Endovet® NF is effective against roundworms and Fasciolas during their larval and adult phases which decreases the risk of parasitic infestations by contaminated fields.

Endovet® NF is easy to apply intramuscularly or subcutaneously

Endovet® NF helps avoid excessive use of the animals therefore decreases stress. Production parameters are improved as well as the physical aspect of the animal. Its use decreases the number of treatments a year.

Endovet® NF is very safe and it can be used in gestating and milking females, studs weak animals and young animals without any side effects.

Endovet® NF It can be used during vaccination periods.

DRUG USE

Recommended for treating parasitosis caused by nematodes, Fasciola spp and ectoparasites such as scabies spreading acai, hematophagous lice and house fly larvae in Dairy Cattle, sheep and goats.

DOSAGE

Dairy Cattle, sheep and goats: 1 mL per 20 kg Frequency: Treatments every 8 to 10 weeks are recommended during high infestation season or in zones with high hepatic Fasciola incidence For acute and subacute Fasciolosis cases treatment is recommended 5 to 6 weeks.

ROUTE OF ADMINISTRATION

Intramuscular and Subcutaneous

DRUG WARNINGS

This product should not be used against tick infestations.

WITHDRAWAL PERIOD

Meat withdrawal: 28 days Do not use in animals that produce milk for human consumption. Aquatic organisms are highly sensitive to ivermectin, therefore empty containers and any residue must be disposed of by burying or incinerating.

Keep this product in a cool and dry place protected from light at a temperature between 15° and 30 °C

Keep out of reach of children and pets.

Consult a veterinarian Prescription Only Medicine – Veterinarian (POM-V category)

PRESENTATION 100 and 500 mL vial

REGISTRATION KEYS

Honduras PF-3579

Nicaragua 6739

MADE IN MEXICO BY: RIVERFARMA, S.A. DE C.V.

Prol. Calz. de La Viga No. 1949, Col. Prado Churubusco, Del. Coyoacán. C.P.04230, México, D.F. E-mail: riverfarma@riverfarma.com.mx Web: www.riverfarma.com.mx Tel. 6389-6687, 6389-6688, 6389-6689. Within Mexico Toll Free: 01-800-505-7777