

Vermivet® Multivitaminated  
Reg. Key SAGARPA Q-0524-059\*

FOR VETERINARY USE

Levamisole and Vitamins

Injectable solution

Gastrointestinal and pulmonary anthelmintic  
hydro miscible and enriched with vitamins

## DRUG DESCRIPTION

Every 5 mL contain

Levamisole Chlorhidrate	600 mg
Vitamin A	500 000 IU
Vitamin D	75 000 IU
Vitamin E	50 IU
Vitamin B1	25 mg
Vitamin B2	10 mg
Vitamin B3	50 mg
Vitamin B5	10 mg
Vitamin B6	25 mg
Vitamin B12	800 mcg
Excipient c.b.p.	5 ml

Vermivet® Multivitaminated's active component is levamisole and in belongs to the imidazothiazoles. It also contains liposoluble vitamins A, D, E and hydrosoluble complex B vitamins that animals need.

Vermivet® Multivitaminated is recommended for treating parasitosis caused by gastrointestinal and pulmonary nematodes both in adult and larval phase, it's also recommended for deficiency of vitamin A, D, E and B complex in Dairy Cattle, sheep, goats and swine.

Vermivet® Multivitaminated has two effects as it enriches with vitamins and eliminates parasites in one shot.

Vermivet® Multivitaminated's hydro miscible formula allows a fast absorption from application spot, it makes injection easy and doesn't cause necrosis or abscesses on the spot.

Vermivet® Multivitaminated helps avoid excessive use of the animals therefore decreases stress. Production parameters are improved as well as the physical aspect of the animal. This product may be used along with vaccines because it doesn't interfere with the immune response on the contrary, it stimulates the immune system.

Vermivet® Multivitaminated improves fertility, helps prevent dystocias and metabolic disorders such as hypocalcaemia and rickets.

Vermivet® Multivitaminated stimulates the regeneration of damaged mucous membranes due to infections. It prevents muscular dystrophy and night blindness periods in calves. It's a vitamin enriched broad-spectrum antiparasitic.

### **DRUG USE**

This product is recommended for treating parasitosis caused by gastrointestinal and pulmonary nematodes both in adult and larval phase, it's also recommended for deficiency of vitamin A, D, E and B complex in Dairy Cattle, sheep, goats and swine.

### **DOSAGE**

Dairy Cattle: 1 mL per 15 to 20 kg

Sheep and Goats: 1mL per 20 kg

Swine: 1 mL per 30 kg

Maximum dose per application spot: 15 mL

### **ROUTE OF ADMINISTRATION**

Deep intramuscular

### **DRUG WARNINGS**

Toxicity happens only when over dosing, in this case treat with atropine. It may cause swollen on the spot of application which is temporary

### **WITHDRAWAL PERIOD**

Meat Withdrawal: 3 days

Milk Withdrawal: 3 days

Keep this product in a cool and dry place protected from light at a temperature between 15° and 30 °C

Keep out of reach of children and pets.

Consult a veterinarian Prescription Only Medicine – Veterinarian (POM-V category)

### **PRESENTATION**

Box with 25, 10 ml vials

50, 100, 250 and 500 mL. vial

### **REGISTRATION KEYS**

El Salvador VET. 96-1-1099

Honduras PF-1716

Nicaragua 7648

Panama RF-3727-06

Dominican Rep. 2259-95

MADE IN MEXICO BY: RIVERFARMA, S.A. DE C.V. Prol. Calz. de La Viga No. 1949, Col. Prado Churubusco, Del. Coyoacán. C.P.04230, México, D.F. E-mail: riverfarma@riverfarma.com.mx Web:

[www.riverfarma.com.mx](http://www.riverfarma.com.mx) Tel. 6389-6687, 6389-6688, 6389-6689. Within Mexico Toll Free: 01-800-505-7777